



DHI FLOOR

WE ONLY BELIEVE IN THE BEST



Awarded by:



Consumer's Choice Award 2020/2021








DHI SPC FLOORING

SPC Flooring, which stands for **Stone Plastic Composite**, is the latest innovation material in the flooring world.


The SPC flooring features on dimension stability, high performance under condition of hot weather, completely water-proof, indentation resistance against high density core.

It can be easily installed on different types of floor base, concrete, ceramic or existing flooring. It's formaldehyde free, and suitable for both residential and commercial use.

- | | |
|--|--|
|  E1
Formaldehyde |  Termite Proof |
|  Fire
Retardant |  Scratch
Resistant |
|  Water Proof |  Easy
Maintenance |
|  Anti Slip | |



PRODUCT STRUCTURE



ANTI FADE UV FINISHING

Outstanding durability & easy to care for. The top layer that prevents the inner layers from damage and scratches.

WEAR RESISTANT LAYER (0.5MM)

The core protection film for the long service life.

DECOR FILM

Pixel is over 300 million, take from the real various texture.

RIGID SPC CORE LAYER

Support the balance of the floor structure, has good fire-retardant.

IXPE ACOUSTIC FOAM

Non-formaldehyde foam to prevent damage and moisture.

Certified by:





DHI FLOOR
WE ONLY BELIEVE IN THE BEST

PREMIUM SERIES

6mm Thick





PREMIUM SERIES

6mm Thick

BELGIUM OAK
DHI 2882



SPECIFICATION:

- Thickness: 6mm
- Wear Layer: 0.5mm
- Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.0mm IXPE Acoustic Bock Pod
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total Weight 23kg/ctn
- 24.2sqft (10pcs/ctn)





**PREMIUM
SERIES**

6mm Thick

**PEARL OAK
DHI 2213**



SPECIFICATION:

- Thickness: 6mm
- Wear Layer: 0.5mm
- Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.0mm IXPE Acoustic Bock Pod
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total Weight 23kg/ctn
- 24.2sqft (10pcs/ctn)





**PREMIUM
SERIES**
6mm Thick

**LIGHT WALNUT
DHI 0191**



SPECIFICATION:

- Thickness: 6mm
- Wear Layer: 0.5mm
- Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.0mm IXPE Acoustic Bock Pod
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total Weight 23kg/ctn
- 24.2sqft (10pcs/ctn)





**PREMIUM
SERIES**


6mm Thick

**IVORY MAPLE
DHI 2217**



SPECIFICATION:

- Thickness: 6mm
- Wear Layer: 0.5mm
- Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.0mm IXPE Acoustic Bock Pod
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total Weight 23kg/ctn
- 24.2sqft (10pcs/ctn)






PREMIUM SERIES

6mm Thick

CHESNUT OAK
DHI 0335



SPECIFICATION:

- Thickness: 6mm
- Wear Layer: 0.5mm
- Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.0mm IXPE Acoustic Bock Pod
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total Weight 23kg/ctn
- 24.2sqft (10pcs/ctn)






PREMIUM SERIES

6mm Thick

FRENCH OAK
DHI 2885



SPECIFICATION:

- Thickness: 6mm
- Wear Layer: 0.5mm
- Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.0mm IXPE Acoustic Bock Pod
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total Weight 23kg/ctn
- 24.2sqft (10pcs/ctn)





PREMIUM SERIES

6mm Thick



FLAT WHITE
DHI 4103



SPECIFICATION:

- Thickness: 6mm
- Wear Layer: 0.5mm
- Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.0mm IXPE Acoustic Bock Pod
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total Weight 23kg/ctn
- 24.2sqft (10pcs/ctn)






PREMIUM SERIES

6mm Thick

EXPRESSO BROWN DHI 3185



SPECIFICATION:

- Thickness: 6mm
- Wear Layer: 0.5mm
- Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.0mm IXPE Acoustic Bock Pod
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total Weight 23kg/ctn
- 24.2sqft (10pcs/ctn)






**PREMIUM
SERIES**

6mm Thick



ITALIAN CARAMEL
DHI 4106



SPECIFICATION:

- Thickness: 6mm
- Wear Layer: 0.5mm
- Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.0mm IXPE Acoustic Bock Pod
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total Weight 23kg/ctn
- 24.2sqft (10pcs/ctn)





**PREMIUM
SERIES**
6mm Thick

ENGLISH MOONLIGHT
DHI 2232



SPECIFICATION:

- Thickness: 6mm
- Wear Layer: 0.5mm
- Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.0mm IXPE Acoustic Bock Pod
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total Weight 23kg/ctn
- 24.2sqft (10pcs/ctn)





PREMIUM SERIES

6mm Thick



ALPINE OAK
DHI 2883



SPECIFICATION:

- Thickness: 6mm
- Wear Layer: 0.5mm
- Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.0mm IXPE Acoustic Bock Pod
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total Weight 23kg/ctn
- 24.2sqft (10pcs/ctn)





**PREMIUM
SERIES**


6mm Thick

**ROYAL MERBAU
DHI 0333**



SPECIFICATION:

- Thickness: 6mm
- Wear Layer: 0.5mm
- Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.0mm IXPE Acoustic Bock Pod
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total Weight 23kg/ctn
- 24.2sqft (10pcs/ctn)





DHI FLOOR
WE ONLY BELIEVE IN THE BEST

ROYAL SERIES

8.5mm Thick





ROYAL SERIES

8.5mm Thick



ROYAL TEAK
DHI 8501



SPECIFICATION:

- Thickness: 8.5mm
- Wear Layer: 0.5mm
- Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.5mm IXPE Acoustic foam
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total weight 23kg/ctn
- 17sqft (7pcs/ctn)





ROYAL SERIES

8.5mm Thick




IVORY TEAK
DHI 8502



SPECIFICATION:

- Thickness: 8.5mm
- Wear Layer: 0.5mm
- Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.5mm IXPE Acoustic foam
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total weight 23kg/ctn
- 17sqft (7pcs/ctn)





**ROYAL
SERIES**

8.5mm Thick

NORDIC BROWN
DHI 8503



SPECIFICATION:

- Thickness: 8.5mm
- Wear Layer: 0.5mm
- Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.5mm IXPE Acoustic foam
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total weight 23kg/ctn
- 17sqft (7pcs/ctn)





ROYAL SERIES

8.5mm Thick



SILVER GREY
DHI 8504



SPECIFICATION:

- Thickness: 8.5mm
- Wear Layer: 0.5mm
- Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.5mm IXPE Acoustic foam
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total weight 23kg/ctn
- 17sqft (7pcs/ctn)





DHI FLOOR
WE ONLY BELIEVE IN THE BEST

Royal Series Special Edition
TERRAZZO SERIES
8.5mm Thick






TERRAZZO SERIES

8.5mm Thick

Royal Series
Special Edition




DESERT BEIGE
DHI 8505T



SPECIFICATION:

- Thickness: 8.5mm
- Wear Layer: 0.5mm
- Size: Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.5mm IXPE Acoustic foam
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total weight 23kg/ctn
- 17sqft (7pcs/ctn)






TERRAZZO SERIES

8.5mm Thick

Royal Series
Special Edition

CANDY STONE
DHI 8506T



SPECIFICATION:

- Thickness: 8.5mm
- Wear Layer: 0.5mm
- Size: Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.5mm IXPE Acoustic foam
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total weight 23kg/ctn
- 17sqft (7pcs/ctn)





TERRAZZO SERIES

8.5mm Thick

Royal Series
Special Edition



SANDY BEACH
DHI 8507T



SPECIFICATION:

- Thickness: 8.5mm
- Wear Layer: 0.5mm
- Size: Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.5mm IXPE Acoustic foam
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total weight 23kg/ctn
- 17sqft (7pcs/ctn)






TERRAZZO SERIES

8.5mm Thick

Royal Series
Special Edition



WHITE ORNAMENT
DHI 8508T

SPECIFICATION:

- Thickness: 8.5mm
- Wear Layer: 0.5mm
- Size: Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.5mm IXPE Acoustic foam
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total weight 23kg/ctn
- 17sqft (7pcs/ctn)






TERRAZZO SERIES

8.5mm Thick

Royal Series
Special Edition



ARTISTIC CANYON
DHI 8509T

SPECIFICATION:

- Thickness: 8.5mm
- Wear Layer: 0.5mm
- Size: Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.5mm IXPE Acoustic foam
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total weight 23kg/ctn
- 17sqft (7pcs/ctn)






TERRAZZO SERIES

8.5mm Thick

Royal Series
Special Edition



GOLDEN SUNSET
DHI 8510T



SPECIFICATION:

- Thickness: 8.5mm
- Wear Layer: 0.5mm
- Size: Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.5mm IXPE Acoustic foam
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total weight 23kg/ctn
- 17sqft (7pcs/ctn)





DHI FLOOR
WE ONLY BELIEVE IN THE BEST

STONE SERIES
5mm & 6mm Thick






**STONE
SERIES**

6mm Thick

RUSTIC GREY
DHI 6002



SPECIFICATION:

- Thickness: 6mm
- Wear Layer: 0.5mm
- Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.0mm IXPE Acoustic Bock Pod
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total Weight 23kg/ctn
- 24.2sqft (10pcs/ctn)






STONE SERIES

6mm Thick



IVORY TRAVERTINE DHI 6003



SPECIFICATION:

- Thickness: 6mm
- Wear Layer: 0.5mm
- Size: 184mm x1220mm
- 100% Virgin Rigid Material
- 1.0mm IXPE Acoustic Bock Pod
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total Weight 23kg/ctn
- 24.2sqft (10pcs/ctn)






STONE SERIES

5mm Thick

ANTIC GREY
DHI 53303



SPECIFICATION:

- Thickness: 5mm
- Wear Layer: 0.3mm
- Size: 760mm x 470mm
- 100% Virgin Rigid Material
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total weight 17kg/ctn
- 23sqft (6pcs/ctn)





STONE SERIES

5mm Thick

LIME STONE
DHI 511



SPECIFICATION:

- Thickness: 5mm
- Wear Layer: 0.3mm
- Size: 610mm x 305mm
- 100% Virgin Rigid Material
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total weight 18kg/ctn
- 20sqft (10pcs/ctn)





SLATE
DHI 512




SPECIFICATION:

- Thickness: 5mm
- Wear Layer: 0.3mm
- Size: 610mm x 305mm
- 100% Virgin Rigid Material
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total weight 18kg/ctn
- 20sqft (10pcs/ctn)





**STONE
SERIES**
5mm Thick




**CHROMITE
DHI 513**

SPECIFICATION:

- Thickness: 5mm
- Wear Layer: 0.3mm
- Size: 610mm x 305mm
- 100% Virgin Rigid Material
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total weight 18kg/ctn
- 20sqft (10pcs/ctn)





SPECIFICATION:

- Thickness: 5mm
- Wear Layer: 0.3mm
- Size: 610mm x 305mm
- 100% Virgin Rigid Material
- Micro Bevelled Edging
- Anti-fade UV Coating Surface
- Total weight 18kg/ctn
- 20sqft (10pcs/ctn)

